


## Theriogenology Magazine



Volume 2, Oct. 2010





البدانة والانجاب

أشارت د/ فيفيان ريتنبرج، زميلة وحدة الإخصاب المساعد في مستشفى جاي وسانت توماس بلندن، إلى أن نسبة حدوث الإجهاض تتضاعف مرتين في السيدات البدينات ممن يخضعن لوسائل الإخصاب الاصطناعية أكثر من غيرهن النحيفات. وأشارت ريتنبرغ وزملاؤها إلى أنه بدراسة نتاج وسائل الإخصاب الاصطناعية على مجموعتين من النساء، إحداهما من ذوات كتلة الجسم الطبيعية والأخرى من ذوات كتلة الجسم الزائدة على مدار 4 سنوات ما بين يناير 2006 وديسمبر 2009، تبين أن نسبة حدوث الإجهاض ترتفع لدى ذوات الأوزان الزائدة بنسبة 33% بينما ينحصر المعدل في نسبة نحو 22% فقط لدى ذوات الأوزان الطبيعية . وبعد موازنة كل الأمور الأخرى التي قد تدفع إلى الإجهاض مثل المرحلة العمرية، وفترة العقم، والتدخين، والتعرض السابق للإجهاض ، وجد العلماء أن نسبة الإجهاض في البدينات تتجاوز وسلم النسبة لدى صاحبات الأوزان الطبيعية وإضافة إلى ذلك فإن الوزن الزائد يزيد من فرص ومخاطر تعرض السيدات لارتفاع ضغط الدم وتسمم الحمل، ومرض السكرى والولادة المبكرة ونزيف ما بعد الولادة، كما أنه يزيد من فرص الحصول على جنين ذي وزن زائد مما يرفع من معدلات الولادة عن طريق الشق القيصري بما لها من مخاطر مشتركة على الأم والجنين ويعلق الدكتور طارق الطوخي، استشاري التناسل في وحدة الإخصاب المُساعَد في مستشفى جاي وسانت توماس بلندن، أنه «يجب أن يتم نصح وتحفيز السيدات من ذوات الوزن الزائد المقبلات على الإخصاب الاصطناعي بمختلف أساليبه على فقدان بعض الكيلوجرامات قبيل الخضوع إلى تلك التقنيات من أجل الحصول على أفضل النتائج والحفاظ على أجنتهن حتى موعد الوضع». ( جريدة الشرق الاوسط الدولية العدد 11561 لسنة 2010)

What do you know about wild animals?

## Lions

**Description:** African lions are the second largest cat in the world. Females weigh 260-400 pounds, and males can weigh up to 550 pounds. Their coloration varies from light buff to silvery gray, yellowish red, and dark brown. Males have a large mane. The mane varies in color from yellow to black, and usually gets darker as the male ages.

> **Habitat:** Grasslands and open woodlands of Sub-Saharan of Africa Diet: Lions are carnivores. In the wild, they eat antelope, zebras,

pigs, giraffes, and other prey. In the zoo, they eat processed carnivore diet, and sometimes bones. Life Cycle: African lions live in groups called "prides". A pride includes related females and their young offspring. Up to three adult males may live with a pride at any time. They can breed year-round. Most females reproduce every  $1\frac{1}{2}$  - 2 years. They usually reproduce at the same time as others in their pride, and they help each other to raise the cubs. Gestation lasts 100-119 days, and each litter can have 1-6 cubs (usually 3). The cubs are weaned in 6 or 7 months, and they begin hunting with the pride when they are 11 months old. They are still dependent on the pride for another 6-18 months. They probably live about 13 years in the wild, but can live up to 30 years in captivity.

Did You Know? The male lion's mane probably helps in fights with other males. It helps to protect the throat and neck, and also makes the lion look bigger and more intimidating. The females of a pride hunt as a team. Some lions hide in the grass, and others work together to herd the prey towards them. Even though team hunting is more effective than hunting alone, lions are only successful in one out of six hunting attempts. Lions follow their prey as it migrates. They may defend temporary territories along the way.



## Theriogenology Magazine


Volume 2, Oct. 2010





more

While we all marvel at the miracle of fetal development and the wonders of birth, we very often fail to look at the miraculous organ the placenta.



In Chinese Medicine, the placenta is known as a great life force and is highly respected in terms of its medicinal value. However, in this field it is not cook, but rather usually dried. To dry a placenta you would simply dehydrate it in the oven, then using a mortar and pestle grind it up. From there you can mix it with food or ingest it within capsules.



Placenta capsules

## Case of the month



**Uterine prolapse in mare** 



**Ovarian cyst** in cow



In birds "sex" can be reversed after birth. Removal of functional left ovary results in the development of the non-functional right gonad into testis.



Theriogenology bu@yahoo.com



لهرمون الذي يستخدم ف الاسفنجات (20ملجم)

كيفية تركيب الاسفنجة

